

## SolarTech Power Solutions

# Grid-connected inverters are all high-frequency



## Overview

---

This study introduces a new topology for a single-phase photovoltaic (PV) grid connection. This suggested topology comprises two cascaded stages linked by a high-frequency transformer. In the first stage, a new buck-boost inverter with one energy storage is implemented.

This study introduces a new topology for a single-phase photovoltaic (PV) grid connection. This suggested topology comprises two cascaded stages linked by a high-frequency transformer. In the first stage, a new buck-boost inverter with one energy storage is implemented.

There is a rapid increase in the amount of inverter-based resources (IBRs) on the grid from Solar PV, Wind, and Batteries. All of these technologies are Inverter-based Resources (IBRs). Source: Lin, Yashen, Joseph H. Eto, Brian B. Johnson, Jack D. Flicker, Robert H. Lasseter, Hugo N. Villegas Pico.

Off-grid inverters play a pivotal role in converting direct current (DC) from solar panels, batteries, or other energy storage devices into alternating current (AC) that powers household appliances, industrial equipment, and outdoor devices. Among the various types of off-grid inverters.

Grid-forming inverters (GFMI) are recognized as critical enablers for the transition to power systems with high renewable energy penetration. Unlike grid-following inverters, which rely on phase-locked loops (PLLs) for synchronization and require a stable grid connection, GFMI internally.

This reference design implements single-phase inverter (DC/AC) control using a C2000™ microcontroller (MCU). The design supports two modes of operation for the inverter: a voltage source mode using an output LC filter, and a grid connected mode with an output LCL filter. High-efficiency, low THD.

With the power electronic (PE) interfaces that use high-frequency internal switching, all renewable energy sources are considered to be harmonic emitters, especially near switching frequencies, i.e., above 2 kHz. This paper evaluates the behaviour of high-frequency harmonics in the 2–20 kHz range.

In the competition of "cost reduction and efficiency improvement" in photovoltaic power plants, the "high-frequency" technology of grid connected inverters is becoming a key breakthrough. By increasing the switching frequency (from the traditional 10kHz to over 50kHz), the volume of the inverter.

## Grid-connected inverters are all high-frequency

---

### Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://www.zegrzynek.pl>